

## HOW TO COPE WHEN SOMETHING TERRIBLE HAPPENS

Handout for Students: R10

- Reach out – people do care
- Talk to your friends, family and teachers - talking is the most healing medicine
- Remember you are normal and having normal reactions – don't label yourself as crazy or mad
- It is ok to cry
- It is ok to smile
- If your feelings and reactions seem different from those of your friends, remember everyone reacts differently
- When the stress level is high there is a temptation to try to numb the feelings with alcohol and drugs. This complicates the problems, rather than relieving them
- Some people find that writing or drawing is helpful. What about writing a note or letter to the family of the person who died or the person themselves?
- Spend time with people who have a positive influence on you
- Make as many daily decisions as possible. This will give you a feeling of control over your life, e.g. if someone asks you what you want to eat – answer them, even if you're not sure
- Recurring thoughts, dreams or flashbacks are normal – don't try to fight them – they'll decrease over time and become less painful
- Make a special effort to take care of yourself during this time. Try to get some extra sleep, eat nutritious foods and get some exercise, even if it is just a walk
- Sticking to your "normal" routine helps. Structure your time – keep busy
- Take time out – go for a walk or kick a football
- Provide some balance to the negative things that have gone on by doing something special or fun for yourself. Think about something that makes you feel good. Then make it happen – like going to the cinema, listening to music, calling a friend, etc. Laughter is good medicine. Watch a funny movie or play a silly game with younger children to lighten your spirits
- Useful websites: [www.spunout.ie](http://www.spunout.ie); [www.youth.ie](http://www.youth.ie); [www.reachout.com.au](http://www.reachout.com.au)

*Above all, realise that what you are experiencing is normal following a traumatic event. Be understanding of yourself and others.*

## REACTIONS TO A CRITICAL INCIDENT

Handout for Students: R11

Following the recent sad event, you may now be experiencing some strong emotional or physical reactions. There is no 'right' or 'wrong' way to feel but here is a list of difficulties that people sometimes experience following such an event.

FEELINGS	BEHAVIOURAL
Fear	Nightmares
Guilt	Social withdrawal
Shame	Irritability
Regret	Loss of concentration
Anger	Forgetfulness
Tearfulness	Physical/Verbal aggression
Loneliness	Misuse of drugs, including alcohol
Anxiety	
Mood swings	
Shock	
Yearning	
Numbness	
Confusion	
Isolation	
Insecurity	
PHYSICAL	THOUGHTS
Tiredness	Disbelief
Sleeplessness	Denial
Headaches	Sense of unreality
Stomach Problems	Preoccupation with images of the event/person
Bowel/Bladder problems	
Loss or increase in appetite	

## GRIEF AFTER SUICIDE OR SUSPECTED SUICIDE

### Handout for Students: R12

Remember there is no right or wrong way to react when someone you know dies. People will have many different reactions to what has happened.

- Know that you can survive, even if you feel you can't
- You may feel overwhelmed and frightened by your feelings. This is normal. You're not going crazy; you are grieving
- You may not feel a strong reaction to what has happened. This is ok
- You may experience feelings of guilt, confusion, forgetfulness and anger. Again these feelings are all normal
- You may feel angry at the person who has died, at yourself, at God, at everyone and everything. It is ok to express it
- You may feel guilty about what you did or did not do. Suicide is the act of an individual, for which we cannot take responsibility
- You may never have an answer as to "why" but it is ok to keep asking "why" until you no longer need to ask or you are satisfied with partial answers
- Sometimes people make decisions over which we have no control. It was not your choice
- Feeling low is temporary, suicide is permanent. Suicide is a permanent solution to a temporary problem. If you are feeling low or having a difficult time, ask for help
- Allow yourself to cry, this will help you to heal
- Healing takes time. Allow yourself the time you need to grieve
- Every person grieves differently and at a different pace
- Delay making any big decisions if possible
- This is the hardest thing you will ever do. Be patient with yourself
- Spend time with people who are willing to listen when you need to talk and who also understand your need to be silent
- Seek professional help if you feel overwhelmed
- If you are thinking of trying to kill yourself, you must talk to a trusted adult
- Avoid people who try to tell you what to feel and how to feel it and, in particular, those who think you should "be over it by now."
- Ask in school about a support group for survivors that provides a safe place for you to express your feelings, or simply a place to go to be with other survivors who are experiencing some of the same things you're going through
- Allow yourself to laugh with others and at yourself. This is healing
- Useful websites: [www.spunout.ie](http://www.spunout.ie); [www.youth.ie](http://www.youth.ie); [www.reachout.com.au](http://www.reachout.com.au).

## WAYS TO HELP YOUR CHILD THROUGH THIS DIFFICULT TIME

Handout for parents: R14

Children do not need to be taught how to grieve. They will do it naturally and in healthy ways if we allow them and if we provide a safe atmosphere, permission and example to do so.

- Listen carefully. Let them tell their story. Tell them that the reactions they are having are normal
- Pay extra attention, spend extra time with them, be more nurturing and comforting.
- Reassure them that they are safe
- Don't tell them that they are "lucky it wasn't worse". People are not consoled by such statements. Instead, tell them that you are sorry such an event has occurred and you want to understand and help them
- Do not be surprised by changes in behaviour or personality. They will return to their usual selves in time
- Don't take their anger or other feelings personally. Help them to understand the relationship between anger and trauma. Help them find safe ways to express their feelings e.g. by drawing, exercise, or talking
- Help them to understand that defiance, aggression and risk behaviour is a way to avoid feeling the pain, hurt and or fear they are feeling
- When going out, let them know where you are going and when you will be back.
- If you are out for a long time telephone and reassure them
- Tolerate regressive behaviour such as nail biting, thumb sucking, or the need for a night light
- Share your own experience of being frightened of something and getting through it
- If they are feeling guilt or shame, emphasise that they did not choose for this to happen and that they are not to blame. Even if they were angry with the person who died, or had been mean to them, this did not make it happen
- Work with the school support services and other available services.